

EC Type Examination Certificate

This is to certify that:

Import-Velez S.R.L
Av. Alvarez Thomas 1553
Buenos Aires
C1427CDC
Argentina

Holds Certificate Number:

CE 696091

In respect of:

Powder Free Nitrile Examination Glove to EN 388:2003, EN 374-1:2003, EN 374-2:2003, EN 374-3:2003 and EN 420:2003+A1:2009

On the basis of our examination, under the requirements of Council Directive 89/686/EEC "Personal Protective Equipment" Article 10, EC Type-Examination

For and on behalf of BSI, a Notified
Body for the above Directive
(Notified Body Number 0086):


Chris Lewis - Certification Director, Product Certification

First Issued: 2018-07-10

Latest Issue: 2018-07-10

Page: 1 of 4

...making excellence a habit.™

EC Type Examination Certificate

No. CE 696091

Product Specification

Model:	VELEZ Guantes De Examinacion De Nitrilo Sin Latex Sin Polvo
Classification:	Protective glove for use against chemical and micro-organism hazards.
Description:	A powder free nitrile glove with beaded cuff with smooth inner surface for ease of donning and doffing. The glove is available in a blue colour.
Models in range:	VELEZ Guantes De Examinacion De Nitrilo Sin Latex Sin Polvo
PPE Category:	Category III – complex
Applicable standards:	General requirements for gloves to EN 420:2003+A1:2009 Mechanical Hazards to EN 388:2003 Protective gloves against chemicals & micro-organisms to EN 374-1:2003 Resistance to penetration to EN 374-2:2003 Additional chemical tested in EN 374-3:2003
Performance:	General requirements for gloves to EN 420:2003+A1:2009 Dexterity: Level 5 Mechanical Hazards to EN 388:2003 Abrasion resistance – level 0 Blade cut resistance – level 0 Tear resistance – level 0 Puncture resistance – level 0 Resistance to penetration to EN 374-2:2003 Pass Resistance to permeation to chemical protection EN 374-3:2003 Diethylamine (G) – level 2 40% Sodium hydroxide (K) – level 3 96% Sulphuric acid (L) – level 2

First Issued: 2018-07-10

Latest Issue: 2018-07-10

Page: 2 of 4

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

EC Type Examination Certificate

No. CE 696091

Product Specification (continued)

Performance:

Additional chemicals tested in the EN 374-3:2003 method

5% Glutaraldehyde – level 3	6mg/50ml Paclitaxel - level 3
70% Isopropyl alcohol – level 2	10mg/ml Thiotepa - level 3
1.5mg/ml Fluorouracil – level 4	10mg/ml Dacarbazina - level 3
20mg/ml Etoposide – level 3	1mg/ml Vincristine sulphate – level 4
250mg/25ml Mitomycin – level 2	500 mg/25ml Cyclophosphamide – level 3
100mg/25ml Carmustine - level 2	10mg/ml Carboplatin cisDiamine - level 4
2mg/ml Mitoxantrone - level 4	150mg/ml Daunorubicin chloridrate - level 4
50mg/ml Ifosfamide – level 2	
1mg/ml Doxorubicin Chloridrate (Adriamicin) – level 3	
50mg/100ml Cis Platin (II) Diammine Dichlorohydrate – level 4	

First Issued: 2018-07-10

Latest Issue: 2018-07-10

Page: 3 of 4

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

EC Type Examination Certificate

No. CE 696091

Certificate Administration Details

Product initially approved on BSI issued certificate CE 586814

Certificate Amendment Record


Issue date	Comments
July 2018	First issue.

BSI Internal report No.
0086:18:8993193

Note: The Certificate holder is responsible for keeping the Notified Body advised of changes to any aspect of the overall process used in the manufacture of the product.

Monitoring of manufactured PPE

The EC Quality of Production by Monitoring requirements, Article 11B, for the product are referenced in BSI issued Certificate Number CE 51699.



First Issued: 2018-07-10

Latest Issue: 2018-07-10

Page: 4 of 4

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.